

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2081 Baishakh

Exam.	Back		
Level	BE	Full Marks	80
Programme	All except BAS & BAR	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.



1. Discuss about compilation process in C. Draw a flowchart to calculate the sum of digits contained in a number entered by the user. [4+4]
2. Explain about declaring variables and constants in C and FORTRAN. [4+4]
3. Write a syntax to use else-if ladder and do-while in C. Write a program in C to generate the given pattern using concept of loop control. [2+4]


```

1
2 4
3 6 9
4 8 12 16

```
4. Write a program using recursive function to compute x^y and explain how this program works. [4+4]
5. Explain about "toupper ()" and "tolower ()" function used in C. Write a C program to read the name of N countries and display the name of these countries in alphabetical order. [2+6]
6. Discuss about the initialization and declaration of pointers with examples. Write down about pointer arithmetic. [2+6]
7. Write a program in C (16-bit compiler) to create a structure name "karmachari" with members: ID_Number (6-digit), Name and salary of 40,000 employees. Create a function name "search ()". Where, the user inputs a value of salary within the records, if found display the records. [8]
8. Write a program in C to write all the prime numbers within the range n1 to n2 into a first file, copy the content of first file into second file and display the content of second file. Your first file name should be "Source" and second file name should be "Destination" [8]
9. Write a program in FORTRAN to display Fibonacci sequence upto n^{th} term. Read n from the user. [8]


[Fibonacci sequence: 0, 1, 1, 2, 3, 5, 8, 13.....]
10. Compare switch statement with user defined function. Write a program in C to find the transpose of NXN matrix. [3+5]

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2080 Bhadra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All except BAS & BAR	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.



- Write about generation of Computer Programming with example. Draw a flowchart to calculate the area of triangle, where the values of three sides are read from the user.

[Hint: $Area = \sqrt{s(s-a)(s-b)(s-c)}$ and $s = (a + b + c)/2$] [4+4]

- What are the fundamental data types in C? Explain about precedence and associativity of an operator with examples. [2+2]

- Write down the output of following segment of a C program Void main () [4]

```
{
int n=90;
printf("%10d \n",n);
printf("%-2d \n",n);
printf("%c \n",'A');
printf("%-10d \n",n);
getch();
}
```

- Compare else-if ladder with switch statement. Write a program to check whether the entered number is palindrome or not. [4+4]

[Hint: Palindrome number for example is 12321, this number is same when reversed]

- Write the syntax of function prototypes for passing 1D and 2D array into user defined function in C. Write a program in C to read the elements of 2D array of any dimension. Add all the columns of that array using user defined function. Store the result in 1D array and display the same. [2+6]

- Write a C program (16-bit compiler) to read name, roll-number (must be a six-digit number) and marks obtained in five subjects of N students using structure. Where, N is the input provided by the user. Display the details of all students as well as the total marks and percentage obtained by each student. [8]

- Compare call by value and call by reference with example. [4]

- Write the output of the program shown below [4]

```
# include <stdio.h>
```

```
int main ()
```

```
{
```

```
int a = 10, *ptr1, **ptr2;
```

```
ptr1 = &a;
```

```
ptr2 = &ptr1;
```

```
printf ("%d\t %d \n", a,&a);
```

```
printf ("%d\t %d \n",&ptr1, ptr1);
```

```
printf ("%d\t %d \n", *ptr1, *ptr2);
```

```
**ptr2 =20;
```

```
printf ("%d", a);
```

```
return 0;
```

```
}
```

Variable

Value

Address

a

6422296

ptr1

6422292

ptr2

6422280

7. Write the concept of string handling functions. Write a program in C to concatenate two strings without using string handling functions. [2+6]
8. Write a program in C to create a structure book using its members: Name, Price and Author. Read one record from the user "book.txt". Read back the information from "book.txt" and display it. [8]
9. Compare about the control structure available in C and FORTRAN. [4+4]
10. Write a program in FORTRAN to sort an array of 100 numbers in ascending order. [8]

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2080 Baishakh

Exam.	Back		
Level	BE	Full Marks	80
Programme	All (Except BAR and BAS)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.



1. a) How is an application software different from system software? Explain with examples. [4]
b) How is code in source file is converted to the executable file? Explain with key steps involved. [4]
2. a) How is constant different than a variable? [2]
b) Write a C program to read an integer 'd' from the user. If 'd' is the radius of a circular ground in meters, then this program should calculate and display the area of the circle in square meter. [6]
3. What are formatted input/ output functions? Explain each in detail with examples. [2+4]
4. a) Differentiate between library function and user defined functions. Provide relevant examples. [3]
b) What is a function prototype? Write a C program to find sum of first 10 natural numbers using recursion. [1+4]
5. a) Write a program to read marks of 48 students in a class and display the second highest mark. [5]
b) How can we copy one string to another string without using any string handling function? [5]
6. What do you mean by array of structure? Write a program to create a structure named "Student" having members Roll, Name, Address and Marks. Use this structure to read the information of 48 students in a class and display the information of only those students whose marks is between 50 and 70. [2+8]
7. What are pointer arithmetic? Explain with example. Write a C program that uses pointer to read $m \times n$ matrix from user. Pass it to function that finds the transpose of the matrix. [4+4]
8. a) How is a binary file different than a text file? Write the syntax and use of fseek () and rewind() functions in C. [2+2]
b) Write a C program to read the name, year_of_release, and language of 3 movies. Save the movie data of all 'English' language movies in a data file. [4]
9. What is the use of FORMAT statement? Explain l and F format with example. Write a program in FORTRAN to read a number from user and check whether it is a prime number or not. [4+4]
10. Write short notes on: [2×3]
 - a) While and do-while statement
 - b) String manipulation in C.


TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division

2079 Bhadra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All except BAS & BAR	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.



1. a) Differentiate between system software and application software. Provide relevant examples for each of them. [4]
- b) List the steps involved in solving a problem using a computer. Why do we need an algorithm before writing program code? [2+2]
2. a) Define tokens in C programming language. How are variables declared as constant? Explain with example. [2+2]
- b) Write the output of the following: [6]


```
#include <stdio.h>
int main ( )
{
char str1 [50], str2 [50] = { 'N', 'E', 'P', 'A', 'L' } ;
scanf ( "% [A-Z]" , str1 ) ;
printf ("%s\n" , str1 ) ;
printf ("% 0.5 s\n" , str2 ) ;
printf ("% 5.3 s\n" , str2 ) ;
printf ("% -0.3 s" , str2 ) ;
return 0;
}
Input string: KATHmanDU
```
3. How are break and continue statements used to jump out from the loop? Write a program to evaluate the following series until the term value becomes less than 10^{-6} : $\cos(x) = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \frac{x^8}{8!} \dots$ [4+6]
4. a) Write a syntax of function declaration, function definition and function call in C programming. Can a main function be called recursively in C? Justify your opinion. [3+1]
- b) Explain the use of recursive function with a suitable example. [4]
5. a) Differentiate between array and string. Explain how to declare and use multi dimensional arrays in C. [3+2]
- b) Write a C program to read a string from the user. Pass the string to a function and sort the alphabets in descending order. For example, if the user entered "exam" then the program should display "xmea". [5]
6. a) What is the meaning of data type used in pointer declaration? Define a function in your program to swap two integers using pass by reference. [1+3]
- b) Write a program to find the frequency of a number in array. Explain the relation of pointer and array using this program. [4]
7. Write the purpose and syntax of fopen () and fclose () function. WAP to create a structure book with its member name price and author. Read 10 records from user write it to a file named "book.dat". Read information from book.dat file, search author name "Gottfried". If found copy the records to a file "gottfried.dat" [3+7]
8. What are the data types available in FORTRAN? Write a program in FORTRAN to check a number is palindrome or not. [3+5]
9. Write short notes on: [2×4]
 - a) Associativity in C
 - b) Entry and exit control loop

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2078 Bhadra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	ALL except BAR	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What is a program? Explain different types of programming language in brief. [1+3]
 b) What is an algorithm? Explain how does algorithm and flowchart helps in computer programming. [1+3]
2. a) Explain Ternary operator in C with an example. Define following terms. [2+2]
 (i) Preprocessor directives (ii) Keywords
 b) Write the output of the following C program. [4]

```
int a,b;
double c = 123.55667788
char str[] = "I enjoy programming";
scanf("%3d%2d", &a, &b);
printf("a = %5\n b=%-7d",a,b);
printf("\n%10.7s",str);
printf("\n%0.3f",c);
printf("\n%-10.6f",c);
```

input:123456 789
3. Write the difference between formatted I/O and unformatted I/O functions in C-programming. Write the syntax for following functions. [2+4]
 (i) getch() (ii) getchar() (iii) scanf()
4. a) What do you mean by iteration? Explain the operation of break and continue statement with a suitable example. [1+3]
 b) Write a C program to check whether an entered word is a palindrome or not without using library function. [6]
5. a) What do you mean by a function header? Explain the function parameters and its types. [1+3]
 b) Write a C program to calculate the sum of digits of a given number unless the sum becomes a single digit using recursion. [Hint: 9785 => 29 => 11 => 2] [4]
6. a) What is an array? Why is it necessary in c programming? [1+2]
 b) Write a program which display following pattern. [5]

```
H
HE
HEL
HELL
HELLO
HELL
HEL
HE
H
```

7. Is there any relation between array and pointer? If yes, show the relation between array and pointer with a suitable example. [1+3]
8. What is structure? Write a program to read a structure named "Faculty" having StaffID, Name, Address and ServiceYear as member. Where ServiceYear is another structure having DurationInYear as member. Now display the details of those faculties whose service duration is more than 10 and less than 30 years. [1+7]
9. a) Why do we need file handling? Write different modes of file opening. [1+3]
b) What is the purpose of fseek and write a program to write the name, roll no, and age of five students into a disk file name "STUDENT.DAT". [6]
10. Describe X format and T format in FORTRAN. Differentiate between unconditional goto and computed goto in FORTRAN. Write a program in FORTRAN to sort elements of a ID array in ascending as well as descending order. [2+2+6]

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2078 Kartik

Exam.	Back		
Level	BE	Full Marks	80
Programme	All except BAR	Pass Marks	32
Year / Part	1 / 1	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Discuss the recent software trends. Explain in details about the features that a software should include. [2+2]
 b) List out the general rules for flowcharting. What are the errors that might occur during debugging? [2+2]
2. a) What are pre-processor directives? Explain compilation process with suitable block diagram. [1+3]
 b) Why do we need to analyse the problem before solving it? Define tokens, expression and identifiers. [1+3]
3. a) What is the control statement? Write down the classification of control statements. [1+2]
 b) Write down the syntax of a given function. [4×1]

(i) printf()
 (ii) scanf()
 (iii) getchar()
 (iv) getch()
4. a) Write the output of following program: [3]

```

int main()
{
    char ch='G';
    int g=10;
    float gravity = 9.81;
    printf("%%d%%f\n");
    printf("%10d\n", g);
    printf("%3c\n", ch);
    printf("%.3f\n", gravity);
    printf("%-10.1f%d\n", gravity, g);
    return 0;
}

```
- b) Define and write syntax of the following: [3×1]

(i) gets()
 (ii) putchar()
 (iii) scanf()
5. Why do we need loop for programming? Write a program to evaluate the following series. [2+4]

$$\cos(x) = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \dots + n \text{ terms}$$



6. Why do we need to declare a function? Define formal parameter and actual parameter.
Evaluate following series using recursive function. [2+2+4]
1, 11, 111, 1111, 11111, n terms
7. a) Define an array of string with an example. Distinguish between an array and a pointer. [2+2]
b) Write a C program to insert an element to a desired position to an array using function. The new element to be inserted and desired position should be given by user. [6]
8. a) Define a void pointer with an appropriate example. [2]
b) Write a C program that uses pointer to represent two 2-D array of size of $m \times n$ and $p \times q$ respectively. Find the product of these two matrices if possible otherwise display a message "Calculation cannot be performed" using function. [6]
9. Discuss about nested structure with a suitable example. Create a structure called "student" with data member name, address and id. Pass structure to function and sort the information of student on the basis of alphabetical order of "name" and display the result in main() function. [2+6]
10. Write a C program to create a new file named "employee.dat" which consists the information of 10 employees. Employee information includes empName, salary and post. Read the file back to search the word "manager". [6]
11. Explain different format types used in FORTRAN. Mention different data types used in FORTRAN. [3+2]

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2076 Chaitra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All except BAS & BAR	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.



- What are different types of computer software? What do you mean by high level and low level programming languages? A long with the block diagram explain the steps involved during compilation of a source code. [2+2+4]
- Explain different types of error that usually appears during the programming. Define preprocessing directive and explain its type with example. Write the algorithm and draw the flowchart to find the reverse of given number. [2+2+4]
- Why are formatted output important in C language? Write a program to print all the roots (Even imaginary roots) of quadratic equation. [3+5]
- Explain the importance of a switch case statement. Compare switch-case with if-else ladder. Write a program to find sum of numbers from 1 to 100 which are exactly divisible by 5 and not by 3. [2+2+4]
- How is function declared? Why is function prototype necessary? Write recursive function segment that returns the sum of numbers from 1 to n given by the user. [2+1+5]
- How can you pass one dimensional array to function and what does name of an array in function call represents? Write a program to find the largest and smallest element of an array using a single function and display the result in calling function. [3+5]
- Explain how a structure can be defined and structure variables can be declared in C. Write a program that reads name, roll numbers, program and marks obtained in five subjects by students until the user enters 'e' and display the student detail and total marks obtained by each student. [3+5]
- What is pointer? Discuss its relationship with an array. Write a function program that behaves strcpy() function using pointer as arguement. [1+2+5]
- Explain different modes in opening file. Write a program to read a string, write it into a file and display the content of a file into a screen. [4+4]
- Explain different data types available in FORTRAN. Write a program in FORTRAN to check whether a number given by user is palindrome or not. [2+6]

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2076 Ashwin

Exam.	Back		
Level	BE	Full Marks	80
Programme	All (Except BAR and BAS)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define a language processor. Explain the main types of language processor in detail. [2+3]
 b) List the basic step of problem solving using computer. Write an algorithm and draw a flowchart to find the sum of N natural number. [1+4]
2. a) Define formatted and unformatted I/O functions. Write the operations of following functions: [2+3]
 (i) getch()
 (ii) getche()
 (iii) getchar()
 b) What is an expression? Write a program to display the smallest number between three integers entered from user using conditional operator. [1+4]
3. a) Differentiate between while and Do-while looping statement with example. [4]
 b) Write a program to evaluate the following series up n term. Prompt the user to input value of n and x. $f(x) = 1 - x^2/2! + x^4/4! - x^6/6! + x^8/8! - \dots$ up to n terms. [6]
4. a) What are the different types of functions available in C? What do you mean by pass by reference and pass by value. [2+3]
 b) What are the similarities and difference between iteration and recursive function? Give suitable example. [5]
5. How do you initialize a 2D array? Explain with an example. Write a program to input two matrices of size m×n and p×q respectively. Pass these matrices to the function to calculate the product matrix. Display the product matrix in the main () function. [2+8]
6. a) What is a structure? When do we use structure? [2+2]
 b) Write a program using pointer to swap the value of two variable where the swapping operation is performed in separate function. [6]
7. a) Why are fgets(), fputs(), fgetc() and fputc() used? [4]
 b) Write a program to display the record in sorted order, sorting is performed in ascending order with respect to name using data files concept. [6]
8. a) Compare Logical IF and Arithmetic If statement in FORTRAN with example. [4]
 b) Write a FORTRAN program to sort 10 integers given from user and display the second largest integer. [6]

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2075 Chaitra

Exam.	Regular/Back		
Level	BE	Full Marks	80
Programme	All (Except BAE)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What is computer programming and computer software? Explain about types of programming languages and software. [2+2]
b) What do you mean by compiler? Explain in brief the steps involved during compilation process along with block diagram. [2+4]
2. a) What is expression? What kind of information is represented by expression? [2+2]
b) What is the purpose of the putchar function? How is it used within a C program? Compare with the getchar function with example. [6]
3. a) Compare nested-if control structure with else-if ladder structure along with flowchart. [4]
b) Write a program to read a number from user, count the number of even digits contained in it and display whether the resulting count is prime or not. [6]
4. a) Write a program to generate the following output. [6]


```

1 2 3 4 5 4 3 2 1
  1 2 3 4 3 2 1
    1 2 3 2 1
      1 2 1
        1
      
```
- b) What is a function? What type is the main () function? Explain actual parameter and formal parameter with example. [1+1+2]
5. a) Write a program to read one dimensional array of n elements, pass it to a function for processing so that, the program should display the largest and smallest element of an array from the main function. [6]
b) How can we initialize 2D array of character data type during compilation? Illustrate with suitable example. [4]
6. a) What is a structure? Explain nested structure with an example. [1+2]
b) Write a program to define a structure named Person with Name, address, salary as its member. Enter values for five persons. Pass the structure to a function which increases the salary by 15% each. Display the updated information in the main () function. [7]

7. a) Write the output of the following.

[6]

a

10

address: 65510

b

--

address: 65550

c

--

address: 65580

```
int a=10.*b. **c;  
b=&a;  
c=&b;  
printf("%d\t%d\n",b,*c);  
printf("%d\t%d\n", c, **c);  
printf("%d\t%d", *b+5, &c+2);
```

b) What do you mean by Generic pointer, Null pointer and File pointer?

[4]

8. a) Explain the FORTRAN structure. What are data types in FORTRAN?

[2+2]

b) Write a program to print the Fibonacci series until the term is less than 500.

[6]

Exam.	Back		
Level	BE	Full Marks	80
Programme	All (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What is computer program? Discuss in brief about different generation of programming languages. [1+4]
b) Why is algorithm and flow chart development important in problem solving? Write an algorithm and draw flow chart to test a number entered by user whether it is even or not. [2+3]
2. a) What is the identifier? What are the ways to give value to variable? Explain with example? [1+2+1]
b) Explain about input and output function available in C with syntax and example of each part. [2+2+2]
3. a) Write algorithm, draw flow chart and program to input a number check "it is Armstrong or not. [2+2+2]
b) What do you mean by selective and repetitive statement? Why do we need break and continue statement? [2+2]
4. a) What do you mean by "call by value and call by reference"? Explain it with suitable example. [4]
b) Can we pass whole array element from the function? Write the program to pass an array to function and sort them. [6]
5. a) Write a program that finds the largest word in a given sentence. [4]
b) Differentiate between the methods of passing argument to function with example. What are their advantages and disadvantages? [6]
6. What is structure? Why is it necessary? Write a program to add two distances given in feet and inch format using structure. [1+1+6]
7. a) What is null pointer? What will be the output of following program, explain. [1+3]

```
#include<stdio.h>
int main() {
    if( ! NULL )
        printf("C programming is easy");
    else
        printf("C programming is not easy");
    return 0 ;
}
```

- b) Write a program to calculate the length of string without using string handling function. [4]
8. A file name employee.txt stores employee name, employee id and employee salary. Write a program to display the detail of all employees in the order of their salary. [8]
9. Write a program in FORTRAN to read 10 integers from user and sort them in ascending order and display it in screen. [6]

Exam.	Back		
Level	BE	Full Marks	80
Programme	All (Except B. Arch.)	Pass Marks	32
Year / Part	1 / 1	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. What are computer programs and computer programming? Explain the steps that are required to build a computer program for solving a certain problem. [2+6]
2. Explain with an example the role that precedence and associativity play in the execution of an expression. Rewrite the following program by correcting any errors, if present and also write down the output of the corrected code. [4+4]

```

Define MAX '5'
int main ( )
{
    int case[MAX]={2,3,5,4,10},i,sum=0;
    for(i=0,i<MAX,i+=1)
    {
        printf("Case %d = %3.2d\n",i,case[i]);
        sum +=* case+i;
    };
    average = sum/MAX;
    printf("%06.2f",average);
    return 1;
}

```

3. a) Compare if-else-if ladder and switch construct with example and flowchart. [5]
- b) Write a program in C to generate following pattern using unformatted input/output functions only. [5]

```

      N
    e e e
  P P P P P
a a a a a a a
L L L L L L L L L

```

4. Write a program in C to find out whether the n^{th} term of the Fibonacci series is a prime number or not. Read the value of n from the user and display the result in the main function. Use separate user-defined functions to generate the n^{th} Fibonacci term and to check whether a number is prime or not. [8]

5. a) How two dimensional arrays are created in C programming? Write a program to read square matrix of size $N \times N$ and find sum of both diagonals. [2+4]
 b) Write a program in C to check whether a given string is palindrome or not using user defined function. [4]
6. What are the advantages of using pointer in C programming? Write a program in C to find second largest elements from an array containing N elements using concept of pointer. [2+4]
7. Explain structures and nested structures? Create a structure to hold any complex number $x+iy$. Write a program that uses the structure to read two complex numbers and display a third complex number which is the multiplication of the entered complex numbers. [3+5]
8. a) What are different input/output functions used with data files in C? Explain with syntax and examples. [4]
 b) Write a program in C to read integers from user until user says "no". After reading the data write all the odd numbers to a file name odd.txt and all the even number to file named even.txt. [4]
9. When can we use recursive functions? Why do we need control statements in computer programs? Differentiate between do...while and for statements. [2+2+2]
10. What are the characteristics of FORTRAN Programming? Write a program in FORTRAN to calculate the value of π by evaluating the following formula for the first 25 terms. [8]

$$\pi = 4 \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \dots \right)$$

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What is a programming language? What is the difference between source code and object code. [2+2]
b) What is debugging and testing? What are the steps that need to be followed for developing the application software. [2+2]
2. a) What is the difference between variable declaration and variable definition? Explain with example. [4]
b) What do you mean by macro expansion and file inclusion in C? Explain with example. [4]
3. What are functions used for formatted and unformatted output? Write down its syntax. Write down the output of printf() function for the following sections of statements. [4+4]
float a = 5.7891;
int b = 6789;
printf("a=%4f and b=%-7d from first line", a,b);
printf("a=%-7.2f and b=%07d from second line", a,b);
printf("a=%.2f and b=%2d from third line", a,b);
4. a) Explain about while loop with its syntax and flowchart. [4]
b) Write a program to convert a decimal number into binary number. [6]
5. a) Can a function return an array to the calling function? Explain with example. [4]
b) Write a program to read a mxn matrix of integers and to find the largest elements of each row. Store the largest elements of the row in a one-dimensional array of m integers before displaying them. [6]
6. a) How does a structure differ from an array? What are the different ways to access structure member? [4]
b) Create a structure named student that has name, roll and marks as members. Assume appropriate types and size of members. Use this structure to read and display records of 10 students. Create two functions: One is to read information of students and other to display the information. [6]
7. a) Define following term: [5]
i) int*p;
ii) int p(char*a)
iii) int(*p(char*a))
iv) int *p(void)
v) int*(*p[10])char a)
b) Write the advantages of using pointer in C- programming. [3]
8. Write a program to copy content of one file source.txt to another destination.txt. [8]
9. a) Explain the FORTRAN structure. What are different types on FORTRAN? [2+3]

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	ALL (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What do you mean by Programming Language? Explain about the evolution of programming languages. [1+3]
- b) What are the advantages of a Flowchart design? Write down the guidelines to be followed to draw a flowchart. [2+2]
2. a) What is the purpose of the semicolon that appears at the end of most assignment statement in C? Explain the program compilation, linking and loading process with example. [2+4]
- b) Discuss the types of errors in programming. How do you debug a C-program? [2+4]
3. a) Explain relational and logical operators. [4]
- b) Write a C program to display following pattern without using formatted input/output statements. [4]


```

      Programming
      rogrammin
      ogrammi
      gramm
      ram
      a
      
```
4. a) Why do we need control statements? Compare switch and if-else-if ladder with example. [4]
- b) Write a C program to display all characters between a given ranges. [6]
5. a) What are the advantages of using functions? Differentiate between Library functions and User-defined functions with suitable example. [5]
- b) Write a program to check whether a given number is Armstrong number or not using recursive function. [5]
6. a) Write a C program to read two strings in main and compare them using userdefined function. Display appropriate message from main. [4]
- b) What are overflow and underflow errors in context of array? Write a program to add corresponding elements of two arrays. The results should form a new array. [2+4]
7. a) Why should we prefer structure over array? Explain nested structure with example. [2+4]
- b) Write a program to read name and roll number of 48 students from user and store them in file. If the file already contains data, your program should add new data at the end of the file. [6]
8. a) What is the structure of FORTRAN program? [5]
- b) Write a FORTRAN program to read n numbers and display largest number among them. [5]

02 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2073 Chaitra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All (Except B.Arch.)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Explain the generations of programming language. Distinguish between High level and Low level programming language. [3+3]
2. What is an algorithm and how it differs from pseudo-code? Develop algorithm and draw flowchart to find the largest of N numbers. [2+3+3]
3. a) What are identifiers? List the rules to define valid C identifiers. [2+3]
b) What is operator? Describe the conditional operator in C with syntax and example. [2+3]
4. What are the differences between global and local function, variables and data types, & (Ampersand) operator and * operators used in c-programming language? Explain with example. [4+4]
5. a) Differentiate between pass by value and pass by reference. [3]
b) Explain the significance of user defined functions with example. [5]
6. a) Write a program to read a string and check whether it consists of Alphabet or not. Use user defined function to accomplish the task. [5]
b) Explain how 2D array is passed to a function. Write a C program to display largest and smallest elements of a 2D array. [5]
7. What is nested structure? Write a program in C to read name, age and salary of 10 different employees as the three members of a structure named as "employee". Sort this data in salary basis using user defined function and display sorted data from main function. [2+8]
8. Write a program in C-programming language to compute the cosine series. (hints: $\cos(x) = 1 - x^2/2! + x^4/4! - x^6/6! + \dots$ up to n terms) [6]
9. Write a program to open file named INVENTORY and store in it for maximum 10000 data of ITEM_NAME, NUMBER, PRICE, QUANTITY. Extend the program to read this data from the above given filename and display the inventory table with the value of each item. [6]
10. a) Compare unconditional goto and computed goto in FORTRAN with syntax. [3]
b) Write a program in FORTRAN to read an array containing N elements, sort this data in ascending order and display the result. [5]

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	All (Except B.Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt **All** questions.
- ✓ The figures in the margin indicate **Full Marks**.
- ✓ Assume suitable data if necessary.

1. a) Explain different generation of programming languages. [4]
b) Why do we need analysis and design before coding a program? [4]
2. a) What do you mean by precedence and associativity of an operator? Explain with suitable example. [3]
b) What are the differences between formatted and unformatted Input / Output. Give suitable example with sample output for the following: %10i, %3c, %-10.3f and %x. [1+4]
3. a) What are the purpose of the continue statement? Within which control statements can continue statement be included? Compare with the break statement. [1+2+2]
b) Write a program to find the sum of series $S_n = \sum 1/n^2$ up to N term. [5]
4. What is the meaning of function prototyping? Write a program to calculate the sum of the series 1+11+111+.....+up to N terms using recursive function. If N is read as 5, the series is: 1+11+111+1111+11111. [2+6]
5. a) Explain with an example for compile time initialization of 2D array. Describe how compiler manages according to the number of initializers and size of an array given by a user in case of 1D array. [2+3]
b) Write a program to read a word from a main function, pass it into a function that will convert all of its characters into upper case if the first character is in lower case and into lower case if the first character is in upper case. Display the converted string from main function. [5]
6. a) Explain need of structures. How can we create and use a structure within another. [2+3]
b) Explain dot and arrow operators for accessing the members of a structure. [3]
7. a) If Ptr is a pointer to user defined type or basic type, by how many bytes is Ptr incremented when the statement Ptr++ is executed? [2]
b) Write a C program that calls reverse array () to reverse the array and return the array and display the element of reversed array using pointer. [6]
8. List different types of standard I/O used in C. Write a program to write name, roll no and age of five students into a disk file name "STUDENT.DAT". [2+6]
9. a) Explain different types of goto statements in FORTRAN programming with suitable example. Write a program to read n from user and display the sum of following series till n^{th} terms: $1+(1+2)+(1+2+3)+(1+2+3+4)+\dots+n$ [4+4]
b) Explain with suitable example to show how an Impiled Do loop works in FORTRAN. [4]

Exam.	Regular		
Level	BE	Full Marks	80
Programme	ALL (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What is a flow chart? Use the various commonly used flow chart symbols. How does a flow chart help computer programming? [2+2+2]
- b) What is a program? Briefly describe types of computer software. [2+2]
2. a) What is an operator, datatype, constant and variable? Define. [6]
- b) Define and write syntax of the following: [4]
 - i) gets()
 - ii) putchar()
 - iii) scanf()
 - iv) strlen()
3. a) How is the switch statement used in decision making? Explain with a suitable example. [4]
- b) Write a program to check whether a given integer is a triangular number or not. [6]

(Any number is a triangular number if the sum of natural number from 1 to any number i is exactly equal to that number. For e.g 1,3,6,10,15 etc are triangular number as, $1+2=3$, $1+2+3=6$, $1+2+3+4=10$, $1+2+3+4+5=15$)
4. a) Briefly explain the passing by value and passing by reference in function with example. [6]
- b) Write a program to calculate sum of digits of a given 5-digits number entered by the user using recursive function. [4]
5. What is a string? Write a program to read a 3*3 square matrix, find minimum integer value of a matrix, replace the diagonal elements by the minimum element and display it using pointer. [2+8]
6. a) What is the principal difference between a structure and an array? [2]
- b) Write a program to read structure "college" having name, estDate and location where estDate is an another structure having day, month and year as members. Display the records of 10 colleges. [8]
7. a) What is a data file in C? What are the modes in file handling? Explain briefly. [1+3]
- b) Write a program to read the information of a file named "data.txt" and write its contents to another file "record.txt". [6]
8. a) Compare DO and implied DO statement in FORTRAN. [3]
- b) Write a FORTRAN program to add and subtract two matrices and display the results in matrix form. [7]

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	All (Except B.Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Categorise programming languages on the basis of their uses and applications. Among them which programming language is C programming? [4]
- b) List and define different steps to solve the problem in computer system. [4]
2. a) Differentiate between declaration and definition. Explain structure of C program with an appropriate example. [4]
- b) Write syntax, example and use of following: [1×4]
 - i) printf()
 - ii) scanf()
 - iii) getch()
 - iv) getche()
3. Write the difference between do and do..... while loop and write the program "to find whether a year is leap or not". [3+7]
4. What is recursive function? How does it work? Find out sum of digit of number until the number becomes one digit number. [891>18>9]. [2+2+4]
5. a) Write a program to read a string and rewrite its characters in alphabetical order. [4]
- b) A multinational company has hired 3 sales persons for marketing/selling its 3 different products in Kathmandu. Each sales person sells each of these products. Write a program to read number of each product sold by all sales-persons. Calculate total sells of each item and the total sells of each sales-person. Use arrays. [6]
6. a) Explain about "Arrays within structures" along with programming example. [4]
- b) Write the program "to understand how structure members are sent to a function". [4]
7. Write down advantages of pointer. Write a program using pointer to swap the value of two variables where the swapping operation is performed in separate function. [2+6]
8. Write a C program to store employee details in a text file. Read data from the text file, sort them in ascending order of salary and store the sorted record to a binary file. Display the details and rank of employee given by the user. [8]
9. a) What do you mean by formatted and unformatted input/output statements in Fortran and also give suitable example which explain the concept of Formatted I/O. [8]
- b) Write the program to convert a binary number to a decimal number using Fortran programming language. [4]

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What is mean by compilation? What is mean by interpretation? How do these two processes differ? [4]
- b) Define programming language? What are the features of good computer program? [1+3]
2. a) What are preprocessor directives? Explain constants and variables. [2+2]
- b) Write syntax and example of following statements/functions: [1+4]
 - i) printf
 - ii) getch
 - iii) scanf
 - iv) long
3. What are control statements? Illustrate nested IF statement with its flowchart. Write a program to calculate the series: $1 \times 10 + 3 \times 20 + 6 \times 30 + \dots + \frac{N(N+1)}{2} \times 10N$, where N is an integer term read from the keyboard. [2+2+6]
4. a) Write a program to display Armstrong numbers between the range entered by a user and also display their counts. You must use a function to check for Armstrong numbers and display them from main. [4]
- b) What do you mean by nested function and recursive function? Give an example of recursive function. [2+2]
5. a) Write a C program to read a string and display its reverse. Use user defined function to count number of characters in it and to reverse it. [4]
- b) Write an algorithm to insert a value in an array at a position given by user. [4]
6. a) What is a tag? Must a tag be included in a structure type definition? Must a tag be included in a structure variable declaration? Explain. [1+1+2]
- b) Write a C program that reads several different names and address using structure computer, rearrange the names into alphabetical order and write out alphabetical list. [4]
7. Illustrate with example that "Array is indirectly a pointer". Write program to calculate sum and average of integer numbers between M and N (where value of M and N are read from keyboard) using pointer. [4+4]
8. Write a program to continuously read name, age and salary of a worker and write it into a file until user confirms to end. Then read n from user and display the nth record in the file. Details of worker must be represented by a structure. [7]
9. a) Compare arithmetic and logical if statements in FORTRAN. [7]
- b) Write a FORTRAN program to display nature of roots of a quadratic equation. Calculate and display the roots, if they are real and equal. [8]

Examination Control Division

2070 Ashad

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	All (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define software. Explain its types. [3]
b) What are the steps required to develop a computer program? Explain. [5]
2. a) What are relational operators and assignment operators? Explain with examples. [3]
b) Rewrite the following program by correcting any syntactical errors, if present. Also show the output of the corrected code. [3+2]

```
#Include <stdio.h>
int main ( )
{
    float root, int i = 1;
    do { sum = 2i - 1;
        print ("t%d\n", sum);
        i *= 5/3;
    } while (sum <= 15)
    root = pow (i, 1/2);
    print ("\n%.3f", root);
    return void;
}
```

3. a) Write a program to read the number until - 1 is encountered. Also count the number of even number and odd numbers entered by the user. [6]
b) Distinguish between break and continue statement with example. [4]
4. a) Explain how function is defined in C? Differentiate call by value and call by reference. [1+2]
b) Write a program using a function that returns the largest number from an array of numbers that is passed to the function. [5]
5. a) How are one dimensional and two dimensional arrays created in C? Explain with examples. [2+2]
b) Write a C program to read two matrices from user, add them and display the result in matrix form. [6]
6. What do you mean by nested structures? Give suitable example. Write a program to read the heights of two students and display the difference between their heights. Use feet and inches as members of a structure to define height. [2+6]
7. a) Compare array and pointer with example. [3]
b) Write a program to read a string from user and use a user defined function to copy the content of the read string into another character array changing lower case letter to upper if any. Use pointer to process the string. [5]
8. Write a program to read the details of book authors and write it to a file, until the user confirms to end. Then read and display the nth record in the file, where n is read from the user. The data for authors must be represented by structures that contain name, nationality and number of books published. [8]
9. a) Explain the FORTRAN structure. What are data types in FORTRAN. [2+2]
b) Write a program in FORTRAN to calculate the sum of squares of first 10 natural numbers.

05 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2070 Chaitra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All (Except B. Arch)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) What do you mean by software and explain about generation of programming languages. [4]
b) Define the term "Flowchart". Discuss about different symbols used in Flowchart. [4]
2. a) Find out final value of a, b and c where following expressions are executed sequentially. [4]
 int a = 2, b = 3, c;
 a = (b++) + (++b) + a;
 c = a > b ? a : b;
 b = (a++) + (b--) + a;
 c = c++ * b--;
 b) What are the difference between formatted and unformatted I/O statements? Describe with proper example. [4]
3. a) Explain importance of break and default statements in switch statements. [3]
b) Write a C program to display following pattern using unformatted output statements: [7]
 P
 Pu
 PuL
 PuLc
 PuLcH
 PuLcHo
 PuLcHoW
 PuLcHoWk
4. a) Define "function definition" and write the program to find the sum of two numbers using user-defined functions. [4]
b) What do you mean by "call by value and call by reference" along with suitable example? [4]
5. Can we pass whole array element from function? Write a program to display only those students information which are passed. Use separate function to check the result of student. The information of students like Name, Roll No, Address and Marks are passed from main functions and pass to functions using array type arguments. [2+8]

6. a) Explain the use of typedef of keyboard in structures. [2]
b) Explain the need of nested structure. Write a C program to convert data in BS to data in AD using structure. Use the data difference of current data. [1+5]
7. a) A pointer variable is used to store address of some other variables, however, we need to specify datatype while declaring a pointer variable. Why? [3]
b) Briefly explain array of pointers. How are array and pointer related? Give example. [5]
8. a) Define opening and closing a file along with suitable examples. [4]
b) Write the program to display the records in sorted order sorting is performed in ascending order with respect to name using data files concept. [4]
9. a) Compare arithmetic and logical if statements in FORTRAN with suitable example. [4]
b) Write a FORTRAN program to read $m \times n$ matrix, transpose it and display both the matrices. [8]
- ***

Quality for Excellence



Programs Offered:

Bachelor in Computer Engineering
Bachelor in Electronics and Communication Engineering
Bachelor of Civil Engineering
Bachelor of Electrical Engineering



National College Of Engineering
(Affiliated to T.U.)

Talchhikhel, Lalitpur, Nepal

Ph: 5526887, Email: info@nce.edu.np

Website: nce.edu.np, www.nce.edu.np

ALL

05 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2069 Ashad

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	All(Except B. arch.)	Pass Marks	32
Year / Part	I / I	Time	32 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt **All** questions.
- ✓ The figures in the margin indicate **Full Marks**.
- ✓ Assume suitable data if necessary.

1. Differentiate between high level and low level. Explain the steps of solving a problem using computer. [4+4]
2. Consider a statement
`scanf("%s", str);`
Where str is a string variable
In above statement, why '&' symbol is not used? Can we input string with space in this statement? If not, why? [4]
3. Write a program in C to find all possible roots of a quadratic equation $ax^2+bx+c=0$. [8]
4. Write down significance of main() function in C. Differentiate between pass by value and pass by reference arguments. Describe both with meaningful example. [2+6]
5. Explain how array can be passed to functions. Write a program that passes an array to a function and print the largest and smallest element. [2+6]
6. How are structures different from arrays? Create a structure in C to store the name of a batsman, runs scored and no of times the batsman in dismissed. In the program, read the data of five players and display the batting average of the player whose name is entered by the user. Batting average is given by $\text{total runs}/\text{total dismissals}$. [2+6]
7. Write down advantages of pointer. What type of arithmetic operations can be implemented in pointer? Also describe the relationship between array and pointer with appropriate syntax and examples. [2+3+3]
8. Write a program in C, to read the following information for 96 students.
Student Name, Student roll number, Marks obtained(in 100)
Record all data in "ioe.txt" file, and program should print roll number and name of student who have obtained greater than or equal to 40 marks. [8]
9. Rewrite the following source code correcting any error present in it. Also indicate the error corrected in comment. Then write the output of the program. [4+4]

28

```
//program to convert list of temperatures
//in Centigrade to Fahrenheit
#include stdio.h;
int main()
{
    int i, n=3;
    float celc[n], faren[n];
    for(i=0; i<n; i++)
    {
        print("Celc[%d]=")
        scanf("%d", celc[i]);
    }
    convert(celc, faren, n);
    for(i=0; i<n; i++) print(faren[i]);
    break;
};
void convert(float cel[], float far[], int n)
{
    for(i=0; i<n; i++) cel2far(far[i], cel[i]);
};
cel2far(float f, float c)
{
    f = 9/5*c+32; };
}
```

10. How are do-loops used in FORTRAN? Explain with example. Compare it with implied do-loop. Write a FORTRAN program to read ten integer numbers, store them in array, arrange them in ascending order and display the sorted list. [1+1+6]
11. What is the syntax of two dimensional arrays in FORTRAN? Explain with example. [4]

Exam.	Regular	
Level	BE	Full Marks 80
Programme	All Except B.Arch.	Pass Marks 32
Year / Part	1 / 1	Time 3 hrs.

Subject: - Computer Programming I (CT401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1) a) Write down the difference between Compiler and interpreter. Explain the role of linker.

[2+2]

b) Explain the importance of flowchart. Also draw a flowchart to find reverse of an integer number. For example, 12345 is an integer number and its reverse is 54321.

[1+3]

2) a) Why do we include <stdio.h> in our program? Can we write a C program without using any header file?

[2+1]

b) Give the output of the following program and justify your answer with reason.

[3]

```
#include<stdio.h>
int main()
{
    int x=3,y=5,z=7;

    int a,b;

    a=x*2+y/5-z*y;

    b=++x*(y-3)/2-z++*y;

    printf("a=%d",a);

    printf("b=%d",b);

    return 0;
}
```

- c) Write a program that prints the floating point value with following specification. [2]
- Correct up to two decimal places.
 - Correct up to four decimal places.
- 3) a) Write a program to read the number until -1 is encountered. Also count the number of prime number and composite numbers entered by the user [6]
- b) Explain why goto statement should be avoided? Distinguish between break and continue statement with example source code. [1+3]
- 4) a) Write a program to calculate the $\exp(x,y)$ using recursive function without using $\text{pow}()$ function. [Example: $\exp(2,3)=2^3$ i.e. $2*2*2=8$.] [4]
- b) Differentiate between call by reference and call by value with example. [4]
- 5) Explain how array can be passed to a function. Write a program to transpose a $3*3$ matrix. Two matrix are input from the main () function and pass to a user defined function with argument as array. The result is displayed from the main function. [2+6]
- 6) What is advantage of using structure? Create an array of structure name Employee with name and salary as structure member and the array of structure is passed to a function which sorts in ascending order on the basis of salary and display the sorted array from main(). [2+6]
- 7) a) Compare array and pointer with example. [3]
- b) Write a program reads a string from user and use a user defined function to copy the content of the read string into another character array changing lower case letter to upper if any. Use pointer to process the string [5]
- 8) a) Differentiate between text file and binary file. [2]
- b) Write a program, taking care of all the possible error condition that may occur, to open a new file name DATA that reads integers from user until user says "no". After reading the data write all the odd numbers to a file called ODD and all the even number to file called EVEN. [8]
- 9) Explain the FORTRAN structure .what are data types in Fortran. [2+2]
- 10) Write a program in FORTRAN to solve quadratic equation and display roots in proper format. [8]

06 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2068 Shrawan

Exam.	New Back (2066 Batch & Later)		
Level	BE	Full Marks	80
Programme	All (Except B.Arch.)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Define algorithm. Write an algorithm for finding largest and smallest values from a list. [2+6]
2. Draw a flowchart and algorithm to find roots of a quadratic equation ($ax^2 + bx + c = 0$). Include all three conditions of the determinant. [10]
3. Write a program to read values from user and find sum until user types 0, also display sum and average. [8]
4. Why programmers prefer using user defined functions? What is merits and demerits of using functions in program? Differentiate actual and formal parameters used in functions. [3+2+3]
5. Write a program to take a list of values from user into an array. Pass the list to a function which sorts the values in ascending order. Display the sorted list from main program. [3+5]
6. Write a program to represent complex number by a structure with real and imaginary as members. Take 2 complex numbers as input from user into structure variables. Pass the complex numbers to a function which calculates sum and returns it. Display the sum from another function display(). [10]
7. What is the role of pointers in passing parameters to functions by reference? Give example, how 2 dimensional array can be accessed by a pointer. [4+4]
8. What do you mean by opening a data file? How is this accomplished? Explain fscanf, fprintf, fread, fwrite functions. [1+3+4]
9. Explain the structure of a FORTAN program. Differentiate between arithmetic and logical if statement. [2+2]
10. Write a program in FORTAN to read two matrices from user, find their sum and display the sum. [8]

Examination Control Division

2068 Chaitra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	All (Except B. Arch.)	Pass Marks	32
Year / Part	1 / 1	Time	3 hrs.

Subject: - Computer Programming (CT 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) How high level programming languages are similar to natural language? Describe. [3]
b) Does Algorithm and Flowchart design makes programming faster and easier? Describe with strong supporting points. Also draw flowchart to check whether a number is Armstrong or not. [2+3]
2. a) What are unary operators in C? Why are they named so? [2]
b) What are preprocessor directives in C? Why are they needed? [2]
c) How formatted input/output can be performed in C? Explain with example. [4]
3. Differentiate between conditional operator and if-else statement. write a program in C that calculates the sum of digits entered by the user successively until the sum reduces to a single digit number. For example, $12345 \Rightarrow 1+2+3+4+5=15 \Rightarrow 1+5=6$. [2+6]
4. Write a program in C to read a string and display it in reverse order. Use user defined functions to count the number of characters in it and reverse it. [8]
5. Write down the significance of array in C. Write a program to multiply two 3×3 matrix. Two matrix are input from main () function and pass to a user defined function with argument with array. The result is also displayed from main () function. [2+6]
6. Why structure variable differs from array? Write a program to input name, post and salary of ten employees from main () function and pass to structure type user defined function (arguments of this function should also a structure type). This function returns structure variable which keeps the record of only those employees whose salary is greater than 10,000. This modified record is also displayed from main () function. [2+6]
7. Explain how pointers can be used in C. How can you access array elements using pointer. Write a C program that reads a string from user and use a user defined function to copy the contents of the read string into another character array changing lower case letters to upper if any. Use pointer to process string. [1+1+6]
8. Write a program to input and save record like name, roll, address and obtained mark of 48 students in a binary file and search and display the record of a student whose obtained mark is highest. The information should be organized in a structure. [8]
9. Write a program in FORTRAN, to check whether a positive integer entered from the keyboard is a palindrome or not. (Hints: A number is palindrome if its reverse is equal to the number itself). [8]
10. Write FORTRAN program to display greatest and smallest number from list ten elements. [8]

05 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division

2067 Ashadh

Exam.	Regular/Back		
Level	BE	Full Marks	80
Programme	All (Except B.Arch.)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. What is high level language? What are the different types of high level languages? How computer programming language C is different from FORTRAN? [1+3+4]
2. Write an algorithm and flowchart of the distance between two points (x_1, y_1) and (x_2, y_2) , governed by formula $D^2 = (x_2 - x_1)^2 + (y_2 - y_1)^2$. Where, x_1, x_2, y_1, y_2 are given by user, but should not be zero. [5+5]
3. Write a syntax used in C programming language for the followings: [2×5]
 - a) scanf()
 - b) while
 - c) struct
 - d) if... else
 - e) static
4. What are the significant meanings of '&' and '*' established in C programming? How can you differentiate between 'called by value' and 'called by reference' with example in C programming? [4+6]
5. State with example, how switch () function differs from user defined function in computer programming language C. [4]
6. Write a pseudocode to find the standard deviation of an array of values in C programming. The array elements are read from the terminal. Use user defined functions to calculate standard deviation and mean. Standard deviation of n value is given by [8]

$$SD = \sqrt{\frac{\sum_{i=1}^n (x_m - x_i)^2}{n}}$$

Where x_m is the mean of the values.

7. Write a program in C programming language according to the output displayed below: (to open a file named RECORD.txt for the n number of data where Cost, Service Charge 5%, VAT 15%, and Total Cost must be calculated by program itself). [10]

Output is:

Item Code	Description	Rate	Quantity	Cost
001CT	Computer	22,000.00	5	110,000.00
007M	Cell Phone	8,000.00	10	80,000.00
VAT 15%				
Service Charge 5%				
Total Cost				

Thank You!!! Visit Again

8. Rewrite program correctly and write output of the given program written in C programming language below:

[8]

```
#include <stdio.h>
#include <conio.h>
#include <string.h>
void main()
{
    char ar1[11] = {'I','o','E',' ','P','U','L','C','H','O','W','K'};
    char ar2[15] = "IoE, Pulchowk";
    char ar3[11] = {{ 'I' }, { 'O' }, { 'E' },
                    { ' ' }, { 'P' }, { 'U' }, { 'L' }, { 'C' }, { 'H' }, { 'O' }, { 'W' }, { 'K' }};
    clrscr();
    printf("\nArray 1 = %c\n", ar1);
    printf("\nArray 2 = %c\n", ar2);
    printf("\nArray 1 = %c\n", ar3);
    return 0;
}
```

9. Describe the formatted input and output statement in FORTRAN programming language with it's syntax.

[4]

10. Write a program in FORTRAN to evaluate the following series:

[8]

$$\text{series} = 1/1^1 + 1/2^2 + 1/3^2 + \dots + 1/n^2$$

Exam.	New Back (2066 Batch)		
Level	BE	Full Marks	80
Programme	All (Except B.Arch.)	Pass Marks	32
Year / Part	I / I	Time	3 hrs.

Subject: - Computer Programming

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Differentiate interpreter and compiler. Briefly explain the steps followed for developing computer software. [2+3]
2. What is a data type? Explain the operators available in C along with their precedence and associativity. [1+4]
3. "You are given a task to develop a system to read at least 50 integer numbers and continue until the user enters NO. Your system must have capacity to calculate the sum and average of those numbers which are exactly divisible by 9 but not by 6 and lies in between 1- to 100 and display a suitable message if no such number is read". Write algorithm and flowchart to develop such system. [5+5]
4. How recursion is different from iteration? Write code in C to calculate the sum of following series up to n terms specified by the user where n is passed to the function that calculates the sum. Your program should have more than two functions. [1+7]
 $(2*3/5) + (4*5/7) + (6*7/9) + \dots$
5. Describe the limitations of using getchar and scanf functions for reading strings. Write a complete program to insert a string into another string in the location specified by the user. Read the string in main function, pass them to another function along with inserting position and returns the resulting string. [2+8]
6. Explain the relation of array and pointer. What is meant by call by value and call by reference? Write a complete program that adds the corresponding elements of two matrices if the elements are positive, otherwise multiply the corresponding elements using the concept of passing array to the function and pointer. [2+3+5]
7. Define the structures in C programming? Explain nested structure with suitable example. Write a program using structure and passing the structure to the function that returns the result to convert the date (in format YY/MM/DD) in B.S. to A.D. [2+2+6]
8. Explain the I/O operations on file with suitable example and also state the typical error situations during I/O operations in file. How the contents in the file can be randomly accessed? [6+4]
9. What are FORTRAN's constants, variables and library functions? Explain. Write a program in FORTRAN to take a position and a number and insert this number on this position inside an array containing n elements. [4+8]